

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	512	(block sub-block \$2cipher\$3 \$2crypt\$3) and (head\$3 attribut\$3 tag\$4 label\$3) and (segment portion) same (block) and block near5 (combin\$3 add\$3 concatenat\$3) with (\$2cipher\$3 \$2crypt\$3 encod\$3) and "3" and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 14:54
L2	514	(block sub-block \$2cipher\$3 \$2crypt\$3) and (head\$3 attribut\$3 tag\$4 label\$3) and (segment portion) same (block) and block near5 (combin\$3 add\$3 concatenat\$3) with (\$2cipher\$3 \$2crypt\$3 encod\$3) and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 14:54
L3	165	(block sub-block \$2cipher\$3 \$2crypt\$3) and (head\$3 attribut\$3 tag\$4 label\$3) same (segment portion) same (block) and block near5 (combin\$3 add\$3 concatenat\$3) with (\$2cipher\$3 \$2crypt\$3 encod\$3) and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 15:21
L5	29	(block sub-block \$2cipher\$3 \$2crypt\$3) and (macro super aggregat\$3) near3 (block) and (head\$3 attribut\$3 tag\$4 label\$3) same (segment portion) same (block) and block near5 (combin\$3 add\$3 concatenat\$3) with (\$2cipher\$3 \$2crypt\$3 encod\$3) and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 15:22
S1	31	split\$4 near3 certificate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 10:37
S2	96	(message file document) with (divid\$3 split\$3 break\$3) with block same (subblock sub-block (sub adj block))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 15:09
S3	58	(message file document) with (divid\$3 split\$3 break\$3) with block same (subblock sub-block (sub adj block)) and (\$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2capsulat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 15:08

S4	22104	(block near3 (attribut\$3 mark\$3 header))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 15:56
S6	101	(block near3 (attribut\$3 mark\$3 header)) and block same (subblock sub-block (sub adj block)) and (\$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2capsulat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 15:51
S7	20	(block near3 (attribut\$3 mark\$3 header)) and block same (subblock sub-block (sub adj block)) same (\$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2capsulat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 15:39
S8	101	(block near3 (attribut\$3 mark\$3 header)) and block same (subblock sub-block (sub adj block)) and (\$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2capsulat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 15:39
S14	124	(block near3 (attribut\$3 mark\$3 header)) and ((sub-block subblock (sub adj block)) near3 (attribut\$3 mark\$3 header))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 22:49
S15	172	(block near3 (attribut\$3 mark\$3 header setting)) and ((sub-block subblock (sub adj block)) near3 (attribut\$3 mark\$3 header setting))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 23:47
S16	21	(block near3 (attribut\$3)) and ((sub-block subblock (sub adj block)) near3 (attribut\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 16:22
S17	1	(block near3 (attribut\$3)) and ((sub-block subblock (sub adj block)) near3 (attribut\$3)) and (\$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2capsulat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 16:00
S18	151	S15 not S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 16:21
S21	91	(block near3 (tag\$4)) and ((sub-block subblock (sub adj block)) near3 (tag\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 16:23

S22	74	(block near3 (tag\$4)) and ((sub-block subblock (sub adj block)) near3 (tag\$4)) and (\$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2capsulat\$3 encod\$3 decod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 16:24
S23	68	(block near3 (tag\$4)) and ((sub-block subblock (sub adj block)) near3 (tag\$4)) and (\$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2capsulat\$3 encod\$3 decod\$3)and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 16:24
S24	3	("6778709").URPN.	USPAT	OR	ON	2005/09/16 16:28
S25	11	"5982938"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 16:31
S26	3	"6307940"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 16:31
S27	3	(block attribut\$3 mark\$3 header block subblock sub-block sub block \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2capsulat\$3 key message file document divid\$3 number random) and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 17:43
S28	15	(block near3 cipher\$3) and block and (sub-block or subblock) and (block with (tag\$4 attribut\$3 stamp\$3 mark\$3 set\$4)) and ((sub-block or subblock) with (tag\$4 attribut\$3 stamp\$3 mark\$3 set\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 17:13
S29	16	(block near3 cipher\$3) and block and (sub-block or subblock) and (block with (label\$3 tag\$4 attribut\$3 stamp\$3 mark\$3 set\$4)) and ((sub-block or subblock) with (tag\$4 attribut\$3 stamp\$3 mark\$3 set\$4 label\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 18:26
S30	12	(US-20020099994-\$).did. or (US-5086497-\$ or US-6532563-\$ or US-6853727-\$ or US-4864497-\$ or US-5889890-\$ or US-6778709-\$ or US-6415032-\$ or US-5838796-\$ or US-5838794-\$).did. or (EP-290085-\$ or WO-200070865-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2005/09/16 17:44

S31	12	(block attribut\$3 mark\$3 header block subblock sub-block sub block \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2capsulat\$3 key message file document divid\$3 number random label\$3 tag\$4 attribut\$3 stamp\$3 mark\$3 set\$4) and S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 12:28
S32	26	(block near3 cipher\$3) and block and (sub-block or subblock) and (block near5 (identi\$8)) and ((sub-block or subblock) near5 (identi\$8))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 18:30
S33	27	((block near3 cipher\$3) CBC)and block and (sub-block or subblock) and (block near5 (identi\$8)) and ((sub-block or subblock) near5 (identi\$8))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 18:30
S34	28	((block near3 cipher\$3) BCC)and block and (sub-block or subblock) and (block near5 (identi\$8)) and ((sub-block or subblock) near5 (identi\$8))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 18:31
S35	31	(block near3 (\$2crypt\$3 \$2capsulat\$3 cipher\$3))and block and (sub-block or subblock) and (block near5 (identi\$8)) and ((sub-block or subblock) near5 (identi\$8))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 18:32
S36	5	S35 not S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 22:47
S37	178	(section near3 (attribut\$3 mark\$3 header setting)) and ((sub-section subsection (sub adj section)) near3 (attribut\$3 mark\$3 header setting))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 23:50
S38	147	(section near3 (attribut\$3 mark\$3 header setting address\$3)) and ((sub-section subsection (sub adj section)) near3 (attribut\$3 mark\$3 header setting address\$3)) and (\$2crypt\$3 \$2cipher\$3 \$2capsulat\$3 encod\$3 decod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 23:50

S39	70	(section near3 (attribut\$3 mark\$3 header setting address\$3)) and ((sub-section subsection (sub adj section)) near3 (attribut\$3 mark\$3 header setting address\$3)) and (\$2crypt\$3 \$2cipher\$3 \$2capsulat\$3 encod\$3 decod\$3) and (block section) near3 (\$2crypt\$3 \$2cipher\$3 \$2capsulat\$3 encod\$3 decod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 23:51
S40	2	"6526505"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 12:24
S41	1	plaintext adj cipher\$3 same block same sub-block	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 12:26
S42	6	plaintext near3 (encrypt\$3 encod\$3 cipher\$3) same block same sub-block	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 12:28
S43	435	380/37.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 12:30
S44	282	(block section sub-section subsection chunk sub-chunk subchunk attribut\$3 mark\$3 head\$3 block subblock sub-block sub block \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2capsulat\$3 key message file document divid\$3 number random label\$3 tag\$4 attribut\$3 stamp\$3 mark\$3 set\$4) and S43 and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 12:32
S45	1025	380/28.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 12:30

S46	282	(block section tag\$4 sub-section subsection chunk sub-chunk subchunk attribut\$3 mark\$3 head\$3 block subblock sub-block sub block \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2capsulat\$3 key message file document divid\$3 number random label\$3 tag\$4 attribut\$3 stamp\$3 mark\$3 set\$4) and S43 and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 12:32
S47	273	(block head\$3 attribut\$3 tag\$4 label\$3 sub-block \$2cipher\$3 \$2crypt\$3) and S43 and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 12:36
S48	106	(block sub-block \$2cipher\$3 \$2crypt\$3) and (head\$3 attribut\$3 tag\$4 label\$3)and S43 and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 13:35
S49	40	(block sub-block \$2cipher\$3 \$2crypt\$3) and (head\$3 attribut\$3 tag\$4 label\$3) and block near5 (combin\$3 add\$3 concatenat\$3) and S43 and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 13:37
S50	23	(block sub-block \$2cipher\$3 \$2crypt\$3) and (head\$3 attribut\$3 tag\$4 label\$3) and (segment portion) same (block) and block near5 (combin\$3 add\$3 concatenat\$3) and S43 and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 14:53

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1247	(block adj cipher) and (block)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 17:43
S2	1247	(block adj cipher) with (block)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 17:43
S3	55	(block adj cipher) with (plain adj text)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 15:33
S4	121	"5214703"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 17:52
S5	2	("5,214,703").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 17:47
S6	94	("4386234" "6189095" "4078152" "6185304" "6185679" "5727062" "4074066" "3798605" "3796830" "6075859" "4979832" "6735311" "6192129" "6243470" "5682425" "5933105" "6058186" "6563884" "4797928" "5195136" RE30957 "4316055" "6813355" "5253293" "5987137" "4627074" "4972481" "5196840" "5226081" "5513262" "5812278" "5838791" "5898785" "6028982" "6089460" "6163612" "6172763" "6236729" "6480294" "6493103" "6539094" "5642421" "6282362" "5841861" "6108423" "6122245" "6185687" "5852663" "6061401" "6061401").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 15:32
S7	9	takeda-tsuneharu.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 15:33

S8	87	(block cipher plain text message stream key attribut\$ file section cipher\$ \$2crypt\$ sub-block) and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 17:37
S9	406	380/37.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 15:35
S10	211	713/151.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 15:36
S11	909	713/168.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 15:36
S12	211	713/151.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 15:36
S13	396	713/150.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 15:36
S14	2	S6 and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 15:38
S15	0	S6 and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 15:38
S16	1	S6 and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 15:38
S17	15	S6 and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 15:38

S18	87	(block cipher plain text message stream key attribut\$ file section cipher\$ \$2crypt\$ sub-block access right user privilage) and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 15:39
S19	15	(block cipher plain text message stream key attribut\$ file section cipher\$ \$2crypt\$ sub-block access right user privilage) and S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 15:42
S20	15	(block cipher plain text message stream key attribut\$ file section cipher\$ \$2crypt\$ sub-block access right user privilage identi\$ author\$ ID username password) and S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 15:43
S21	15	(message stream key attribut\$ sub-block access right user privilage identi\$ author\$ ID username password) and S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 15:44
S22	15	(attribut\$ sub-block access right user privilage identi\$ author\$ ID username password) and S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 15:44
S23	1253	(block adj cipher) and (block)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 15:50
S24	55	(block adj cipher) with (plain adj text)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 15:50
S25	8679	(((\$2crypt\$3 \$2cipher\$3 \$2cypher\$3) near5 (attribut\$ key position address\$2 index\$3 information)) with (file text output)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 15:58
S26	586	S23 and S25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 15:58
S27	455	S23 and S25 and (text)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 15:55

S28	236	S23 and S25 and (text near3 (plain message))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 15:55
S29	214	S23 and S25 and (text near3 (plain message)) and (username user id identi\$ authoriz\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 16:00
S30	145	S23 and S25 and (text near3 (plain message)) and (username user id identi\$ authoriz\$) and authenticat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 16:01
S31	7039	(((\$2crypt\$3 \$2cipher\$3 \$2cypher\$3) near5 (attribut\$ key position address\$2 index\$3 information)) with (file output)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 17:21
S32	473	S23 and S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 15:58
S33	145	S32 and (text near3 (plain message)) and (username user id identi\$ authoriz\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 16:01
S34	99	S32 and (text near3 (plain message)) and (username user id identi\$ authoriz\$) and authenticat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 17:36
S35	2	("5835601").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/20 17:22
S36	10	S32 and (text near3 (plain message)) and (username user id identi\$ authoriz\$) and authenticat\$3 and sub adj block and section	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 17:37
S37	87	(block cipher plain text message stream key attribut\$ file section cipher\$ \$2crypt\$ sub-block section) and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 18:14

S38	125	380/231.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/20 18:14
S39	1414	(block adj cipher) and (block)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 10:04
S40	1414	(block adj cipher) with (block)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 10:04
S41	56	(block adj cipher) with (plain adj text)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 10:04
S42	2	("5,214,703").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 10:04
S43	154	"5214703"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 10:04
S44	94	("4386234" "6189095" "4078152" "6185304" "6185679" "5727062" "4074066" "3798605" "3796830" "6075859" "4979832" "6735311" "6192129" "6243470" "5682425" "5933105" "6058186" "6563884" "4797928" "5195136" RE30957 "4316055" "6813355" "5253293" "5987137" "4627074" "4972481" "5196840" "5226081" "5513262" "5812278" "5838791" "5898785" "6028982" "6089460" "6163612" "6172763" "6236729" "6480294" "6493103" "6539094" "5642421" "6282362" "5841861" "6108423" "6122245" "6185687" "5852663" "6061401" "6061401").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 10:04
S45	9	takeda-tsuneharu.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 10:04

S46	435	380/37.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 10:04
S47	276	713/151.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 10:04
S48	1068	713/168.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 10:04
S49	276	713/151.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 10:04
S50	459	713/150.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 10:04
S51	2	S44 and S50	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 10:04
S52	0	S44 and S49	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 10:04
S53	1	S44 and S48	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 10:04
S54	15	S44 and S46	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 10:04
S55	87	(block cipher plain text message stream key attribut\$ file section cipher\$ \$2crypt\$ sub-block access right user privilage) and S44	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 10:04

S56	15	(block cipher plain text message stream key attribut\$ file section cipher\$ \$2crypt\$ sub-block access right user privilege) and S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 10:30
S57	15	(block cipher plain text message stream key attribut\$ file section cipher\$ \$2crypt\$ sub-block access right user privilege identi\$ author\$ ID username password) and S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 10:04
S58	15	(message stream key attribut\$ sub-block access right user privilege identi\$ author\$ ID username password) and S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 10:04
S59	15	(attribut\$ sub-block access right user privilege identi\$ author\$ ID username password) and S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 10:04
S60	1414	(block adj cipher) and (block)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 10:04
S61	56	(block adj cipher) with (plain adj text)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 10:04
S62	9804	(((\$2crypt\$3 \$2cipher\$3 \$2cypher\$3) near5 (attribut\$ key position address\$2 index\$3 information)) with (file text output)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 10:04
S63	669	S60 and S62	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 10:04
S64	522	S60 and S62 and (text)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 10:04
S65	276	S60 and S62 and (text near3 (plain message))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 10:04

S66	253	S60 and S62 and (text near3 (plain message)) and (username user id identi\$ authoriz\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 10:04
S67	178	S60 and S62 and (text near3 (plain message)) and (username user id identi\$ authoriz\$) and authenticat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 10:04
S68	8000	(((\$2crypt\$3 \$2cipher\$3 \$2cypher\$3) near5 (attribut\$ key position address\$2 index\$3 information)) with (file output)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 10:04
S69	545	S60 and S68	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 10:04
S70	176	S69 and (text near3 (plain message)) and (username user id identi\$ authoriz\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 10:04
S71	125	S69 and (text near3 (plain message)) and (username user id identi\$ authoriz\$) and authenticat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 10:04
S72	2	("5835601").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 10:04
S73	23	S69 and (text near3 (plain message)) and (username user id identi\$ authoriz\$) and authenticat\$3 and sub adj block and section	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 10:04
S74	87	(block cipher plain text message stream key attribut\$ file section cipher\$ \$2crypt\$ sub-block) and S44	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 10:04
S75	87	(block cipher plain text message stream key attribut\$ file section cipher\$ \$2crypt\$ sub-block section) and S44	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 10:04

S76	129	380/231.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 10:04
S77	35	(US-20010010722-\$ or US-20010038693-\$ or US-20020076044-\$ or US-20020085710-\$ or US-20020118827-\$ or US-20020129236-\$ or US-20040086119-\$ or US-20040202321-\$ or US-20050031120-\$).did. or (US-3798605-\$ or US-4654480-\$ or US-4754482-\$ or US-5054067-\$ or US-5214703-\$ or US-5724427-\$ or US-5734721-\$ or US-6185679-\$ or US-6189095-\$ or US-6219420-\$ or US-6243470-\$ or US-6269164-\$ or US-6307940-\$ or US-6314186-\$ or US-6501840-\$ or US-6504930-\$ or US-6578150-\$ or US-6735311-\$ or US-6751319-\$ or US-6760840-\$ or US-6804355-\$ or US-6845159-\$). did. or (US-6199162-\$ or US-6185304-\$ or US-20020048364-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2005/09/16 10:30
S78	35	(block cipher plain text message stream key attribut\$ file section cipher\$ \$2crypt\$ sub-block access right user privilege) and S77	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 12:37
S79	106	(block adj (encrypt\$3 cipher\$3)) and ((sub adj block) sub-block) and block	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 10:38
S80	101	(block adj (encrypt\$3 cipher\$3)) and ((sub adj block) sub-block) and block and (encrypt\$3 encipher\$3 cipher\$3) and key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 10:39
S81	46	(block adj (encrypt\$3 cipher\$3)) and ((sub adj block) sub-block) and block and (encrypt\$3 encipher\$3 cipher\$3) and key and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 10:40
S82	2	(block adj (encrypt\$3 cipher\$3)) and ((sub adj block) sub-block) and block and (encrypt\$3 encipher\$3 cipher\$3) and key and (attribut\$3) and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 10:47

S83	46	(block adj (encrypt\$3 cipher\$3)) and ((sub adj block) sub-block) same block and (encrypt\$3 encipher\$3 cipher\$3) and key and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 10:48
S84	46	(block adj (encrypt\$3 cipher\$3)) and ((sub adj block) sub-block) same block and (encrypt\$3 encipher\$3 cipher\$3) and key and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 12:38
S85	46	(block cipher plain text message stream key attribut\$ file section cipher\$ \$2crypt\$ sub-block access right user privilage label\$3 mark\$3) and S84	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 12:40
S86	46	(block cipher plain text message stream key attribut\$ file section cipher\$ \$2crypt\$ sub-block subblock access right user privilage label\$3 mark\$3) and S84	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 12:40